

Allegheny Regional Endoscopy 810 Valley View Blvd. Altoona, PA 16602

Front desk: 814-946-5469 Fax: 814-946-4970

Plenvu 2-Day Prep Instructions

- Avoid iron supplements for 5 days prior to your procedure.
- Avoid eating whole-grain bread/cereals with nuts/seeds and corn for 5 days prior to your procedure.

_2 days prior to procedure:

- Begin the low-residue diet (see attached page) first thing in the morning.
- At 5:00pm, mix a 7-day supply of Miralax with 32 ounces of Gatorade. NO RED OR PURPLE. *If you are diabetic, please use Gatorade Zero.* Drink the entire 32 ounces at your own pace, throughout the evening. Once finished, you may continue to drink clear liquids (see list below).

1 day prior to procedure:

- Consume clear liquids only (see list below) the day before your procedure
- At 3:00pm the day before your procedure, take 2 Dulcolax tablets (5mg each)
- At 5:00pm the day before your procedure, pour dose pouch #1 of prep into the mixing container. *Using water*, continue to fill the container to the "fill line" (16 ounces). Drink the entire16 ounces of prep and water within 30 minutes. Once this is complete, drink 1 additional 16-ounce bottle of water over the next 1 hour.
- Once Stage 1 is complete, continue to consume clear liquids until it is time for stage 2 of the prep.

Stage 2

- 6 hours before your scheduled procedure time, pour dose pouch(es) #2 of prep into mixing container.
- Repeat the same steps as in Stage 1 but be sure to complete this entire stage within 1 hour.
- Once both stages of the prep are complete, you may continue to consume *clear liquids* <u>until 2 hours</u> <u>before</u> your scheduled procedure time.

Notes

- It may take a few hours for the prep to start working.
- It is normal to feel very full or bloated during your prep. If you experience nausea and/or vomiting, wait 30 minutes before resuming prep/liquids. If vomiting does not disappear once you begin to move your bowels, please call us immediately for further instructions.

ACCEPTABLE CLEAR LIQUIDS

Water Gatorade Jell-O Kool-Aid Broth Popsicles
Lemonade Apple juice White grape juice White cranberry juice Soda (all)
Black coffee (no added cream or sugar) Iced tea Hot tea (no added sugar, honey)

Do not consume any liquids which are red or purple in color

Colonoscopy and Anesthesia

It is especially important that you read this information in its entirety and call to speak with us if you are unsure of any instructions. <u>Failure to comply with the below guidelines could result in the delay and/or cancellation of your procedures without question</u>.

- <u>YOU MUST</u> have a driver to sign you out of recovery after anesthesia. <u>You cannot</u> use UBER, LYFT, Healthride or MediVan unless a responsible party is riding beside you.
- You may have CLEAR LIQUIDS up to 2 hours before your designated arrival time at our facility and no later.
- Please refer to the prep instructions on the front of this sheet. **DO NOT follow pharmacy instructions.**
 - No alcoholic beverages are permitted during colon prep OR after midnight on the night before
 procedures.

<u>CHEWING TOBACCO PRODUCTS (INCLUDING ALL POUCHES), SMOKING, VAPING AND INHALATION OF</u>

<u>MARIJUANA</u> (medical and recreational) <u>ARE PROHIBITED</u> after midnight, on the night before your procedures. You should also avoid hard candy and chewing gum after midnight.

- All oral piercings must be removed before all procedures as well as any other jewelry. NO EXCEPTIONS!
- <u>All stimulators</u> (bladder, spinal etc.) should be turned "off" or placed in "surgery mode" if you are having a colonoscopy.
- Please refer to the personalized medication instructions provided to you. It is especially important to take
 medications for blood pressure and heart function the day of your procedures.
 - If you experience any of the following between now and the day of your procedure, please notify us immediately:
 - 1. A change in health status
 - 2. an ER visit/hospital admission
 - 3. Testing or office visit for your heart, lungs, brain

Please call 814-946-5469 Option 7 to report these changes, or if you have any additional questions pertaining to your procedure.

!! PLEASE SEE THE CHART BELOW FOR A LIST OF MEDICATIONS THAT REQUIRE A MANDATORY HOLD PRIOR TO PROCEDURES (see next page)!!

HOLD MEDICATION DAY OF PROCEDURE:

Carafate (Sulcrafate)

HOLD MEDICATIONS FOR 1 DAY PRIOR TO PROCEDURE:

Byetta (Exenatide)
Soliqua (Lixisenatide + Insulin)
Victoza/Saxenda (Liraglutide)

HOLD MEDICATIONS FOR 3 DAYS PRIOR TO PROCEDURE:

Brenzavvy (Bexagliflozin) Farxiga (Depagliflozin) Glyxambi (Empagliflozin/Linagliptin) Inpefa (Sotagliflozin) Invokana (Canagliflozin) Invokamet (Canagliflozin/Metformin) Invokamet XR (Canagliflozin/Metformin XR) Jardiance (Empagliflozin) Qtern (Dapagliflozin/Saxagliptin) Qternmet XR (Dapagliflozin/Saxagliptin/Metformin XR) Synjardy (Empagliflozin/Metformin) Synjardy XR (Empagliflozin/Metformin XR) Steglatro (Ertugliflozin) Steglujan (Ertugliflozin/Sitagliptin) Segluromet (Ertugliflozin/Metformin) Tijardy XR (Empagliflozin/Linagliptin/Metformin XR) Xigduo (Dapagliflozin/Metformin) Xigduo XR (Dapagliflozin/Metformin XR)

HOLD MEDICATIONS FOR 7 DAYS PRIOR TO PROCEDURE:

Adipex-P/Lomaira (Phentermine)
Adlyxin (Lixisenatide)
Bydureon (Exenatide)
Mounjaro/Zepbound (Tirzepatide)
Ozempic (Semaglutide)
Qysmia (Phentermine and Topiramate)
Rybelsus
Trulicity (Dulaglutide)
Wegovy

Low Residue Diet

Foods allowed

Foods to Avoid

<u>Fruits</u>	<u>Fruits</u>
oranges, grapefruit, cooked apples/peaches/ pears, ripe bananas	raw fruits, dried apricots, figs, dates, raisins
Cereals & soups	Cereals & soups
cooked and strained oatmeal, wheat cereals, refined rice cereals, dry cereals	
all soups	
Breads & pasta	Breads & pasta
toasted white bread (butter ok), saltines, rusk	bran, whole wheat, rye bread, corn bread, rolls, muffins
spaghetti noodles, macaroni noodles	
<u>Vegetables</u>	<u>Vegetables</u>
cooked and strained asparagus, beets, peas, carrots, fresh lima beans, spinach, squash, white potatoes (mashed, creamed or baked – no skins)	radishes, corn, cucumbers, cabbage, tomatoes, onions, garlic, celery, green beans, brussels sprouts, peppers, cauliflower, dried peas, beans, olives, pickles
Meats, poultry, fish, eggs & cheese	Meats, poultry, fish, eggs & cheese
beef (broiled or baked), chicken, turkey, ham (boiled or broiled), bacon, lamb chops, eggs (soft boiled or poached), cottage cheese, cream cheese	all fried, canned, salted and spices meats/fish, veal, mutton, nuts
cottage cheese, cream cheese	condiments, gravy, sauces
<u>Desserts</u>	<u>Desserts</u>
custard, pudding, ice cream, Jello, cake (no icing), honey, syrup, clear jelly	rich pastries/desserts, candy, popcorn, marmalade
<u>Beverages</u>	<u>Beverages</u>
milk, buttermilk, eggnog, malted milk, cocoa, tea, coffee, carbonated drinks	alcoholic beverages