

Allegheny Regional Endoscopy 810 Valley View Blvd. Altoona, PA 16602 Front desk: 814-946-5469 Fax: 814-946-4970

### Your colonoscopy is scheduled on:

# **Sutab 2-day Prep Instructions**

- Avoid iron supplements for 5 days prior to your procedure.
- Avoid eating whole-grain bread/cereals with nuts/seeds and corn for 5 days prior to your procedure.

#### 2 days before your procedure:

- Begin the low-residue diet (see attached page) first thing in the morning.
- At 5:00pm, mix a 7-day supply of Miralax with 32 ounces of Gatorade. NO RED OR PURPLE. *If you are diabetic, please use Gatorade Zero.* Drink the entire 32 ounces at your own pace, throughout the evening. Once finished, you may continue to drink clear liquids (see list below).

#### 1 day before your procedure:

- Consume clear liquids only today (see list below).
- At 3:00pm, take 2 Dulcolax tablets (5mg each)
- At 5:00pm, open 1 bottle containing 12 tablets. *Using water*, fill the provided bottle to the "fill line" (16 ounces). Swallow each tablet 1-2 minutes apart so that all 12 tablets *and* the 16 ounces of water are consumed within 15-20 minutes. Once this is complete, drink 2 additional 16-ounce bottles of water over the next 1 hour.
- Continue to consume clear liquids throughout the evening.
- 6 hours before your scheduled procedure time, open the second bottle containing 12 tablets.
- Repeat the same steps as above, including consumption of the 2 additional 16-ounce bottles of water, but be sure to complete **everything** within 1 hour this time.
- You may continue to consume clear liquids until 2 hours before your scheduled procedure time.

#### Notes

- It may take a few hours for the prep to start working.
- It is normal to feel very full or bloated during your prep. If you experience nausea and/or vomiting, wait 30 minutes before resuming prep/liquids. If vomiting does not disappear once you begin to move your bowels, please call us immediately for further instructions.

# **ACCEPTABLE CLEAR LIQUIDS**

Water Gatorade Jell-O Kool-Aid Broth Popsicles
Lemonade Apple juice White grape juice White cranberry juice Soda (all)
Black coffee (no added cream or sugar) Iced tea Hot tea (no added sugar, honey)

\*Do not consume any liquids which are red or purple in color\*

# **Colonoscopy and Anesthesia**

It is especially important that you read this information in its entirety and call to speak with us if you are unsure of any instructions. <u>Failure to comply with the below guidelines could result in the delay</u> and/or cancellation of your procedures <u>without question</u>.

- YOU MUST have a driver to sign you out of recovery after anesthesia. You cannot use UBER,
   LYFT, Healthride or MediVan unless a responsible party is riding beside you.
- You may have CLEAR LIQUIDS up to 2 hours before your designated arrival time at our facility and no later.
  - Please refer to the prep instructions on the front of this sheet. <u>DO NOT follow pharmacy</u> instructions.
- No alcoholic beverages are permitted during colon prep OR after midnight on the night before procedures.

<u>CHEWING TOBACCO PRODUCTS (INCLUDING ALL POUCHES), SMOKING, VAPING AND INHALATION OF</u>

<u>MARIJUANA</u> (medical and recreational) <u>ARE PROHIBITED</u> after midnight, on the night before your procedures. You should also avoid hard candy and chewing gum after midnight.

- All oral piercings must be removed before all procedures as well as any other jewelry. <u>NO</u>
   EXCEPTIONS!
- <u>All stimulators</u> (bladder, spinal etc.) should be turned "off" or placed in "surgery mode" if you are having a colonoscopy.
  - Please refer to the personalized medication instructions provided to you. It is especially
    important to take medications for blood pressure and heart function the day of your
    procedures.
- If you experience any of the following between now and the day of your procedure, please notify us immediately:
  - 1. A change in health status
  - 2. an ER visit/hospital admission
  - 3. Testing or office visit for your heart, lungs, brain

Please call 814-946-5469 Option 7 to report these changes, or if you have any additional questions pertaining to your procedure.

**!! PLEASE SEE THE CHART BELOW FOR A LIST OF MEDICATIONS THAT REQUIRE A**MANDATORY HOLD PRIOR TO PROCEDURES (see next page)!!

#### **HOLD MEDICATION DAY OF PROCEDURE:**

Carafate (Sulcrafate)

# **HOLD MEDICATIONS FOR 1 DAY PRIOR TO PROCEDURE:**

Byetta (Exenatide)
Soliqua (Lixisenatide + Insulin)
Victoza/Saxenda (Liraglutide)

#### **HOLD MEDICATIONS FOR 3 DAYS PRIOR TO PROCEDURE:**

Brenzavvy (Bexagliflozin) Farxiga (Depagliflozin) Glyxambi (Empagliflozin/Linagliptin) Inpefa (Sotagliflozin) Invokana (Canagliflozin) Invokamet (Canagliflozin/Metformin) Invokamet XR (Canagliflozin/Metformin XR) Jardiance (Empagliflozin) Qtern (Dapagliflozin/Saxagliptin) Qternmet XR (Dapagliflozin/Saxagliptin/Metformin XR) Synjardy (Empagliflozin/Metformin) Synjardy XR (Empagliflozin/Metformin XR) Steglatro (Ertugliflozin) Steglujan (Ertugliflozin/Sitagliptin) Segluromet (Ertugliflozin/Metformin) Tijardy XR (Empagliflozin/Linagliptin/Metformin XR) Xigduo (Dapagliflozin/Metformin) Xigduo XR (Dapagliflozin/Metformin XR)

#### **HOLD MEDICATIONS FOR 7 DAYS PRIOR TO PROCEDURE:**

Adipex-P/Lomaira (Phentermine)
Adlyxin (Lixisenatide)
Bydureon (Exenatide)
Mounjaro/Zepbound (Tirzepatide)
Ozempic (Semaglutide)
Qysmia (Phentermine and Topiramate)
Rybelsus
Trulicity (Dulaglutide)
Wegovy

# **Low Residue Diet**

# Foods allowed

# \*Foods to Avoid\*

| <u>Fruits</u>   | <u>Fruits</u>   |
|---|---|
| oranges, grapefruit, cooked apples/peaches/<br>pears, ripe bananas  | raw fruits, dried apricots, figs,<br>dates, raisins   |
| Cereals & soups   | Cereals & soups   |
| cooked and strained oatmeal, wheat cereals, refined rice<br>cereals, dry cereals  |   |
| all soups   |   |
| Breads & pasta  | Breads & pasta  |
| toasted white bread (butter ok), saltines, rusk<br>spaghetti noodles, macaroni noodles  | bran, whole wheat, rye bread, corn bread,<br>rolls, muffins   |
| <u>Vegetables</u>   | <u>Vegetables</u>   |
| cooked and strained asparagus, beets, peas, carrots,<br>fresh lima beans, spinach, squash,<br>white potatoes (mashed, creamed or baked – no skins)      | radishes, corn, cucumbers, cabbage, tomatoes, onions, garlic, celery, green beans, brussels sprouts, peppers, cauliflower, dried peas, beans, olives, pickles |
| Meats, poultry, fish, eggs & cheese   | Meats, poultry, fish, eggs & cheese   |
| beef (broiled or baked), chicken, turkey, ham (boiled or<br>broiled), bacon, lamb chops, eggs (soft boiled or poached),<br>cottage cheese, cream cheese | all fried, canned, salted and spices meats/fish, veal,<br>mutton, nuts<br>condiments, gravy, sauces   |
| <u>Desserts</u>   | <u>Desserts</u>   |
| custard, pudding, ice cream, Jello, cake (no icing), honey,<br>syrup, clear jelly   | rich pastries/desserts, candy, popcorn, marmalade   |
| <u>Beverages</u>  | <u>Beverages</u>  |
| milk, buttermilk, eggnog, malted milk, cocoa,<br>tea, coffee, carbonated drinks   | alcoholic beverages   |
|   |   |